

# RIM Applications

(For use ONLY with Excel OE Type Rims Listed below)

Make & Model	Year	Rim Size	Hole No.	Excel Rim Part No.	Excel A60 Part No.	Excel One Part No.
<b>HONDA Front:</b>						
XR50R / CRF50F	00-03 / 04-current	10x1.60	28	KC 412		
CR80R / 85R	86-02 / 03-current	17x1.40	28	EB 410		
CR80R / 85RB (BW)	96-02 / 03-current	19x1.40	28	GB 410		
CRF110F	13-19	14x1.60	36	BC 417		
CRF150F	03-current	19x1.40	36	GB 407		
CRF150R	07-current	17x1.40	28	EB 410		
CRF150RB (BW)	07-current	19x1.40	28	GB 410		
CRF230F	03-current	21x1.60	36	IC 411	IC 611	IC_Z11
CR125, 250, 500, F250R & X, F450R & X	95-current	20x1.85 21x1.60	36	HD 410 IC 410	IC 610	IC_Z10
XR250R / 400R / 600R / 650R	97-04 / 96-04 / 93-00 / 00-07	21x1.60	36	IC 410	IC 610	IC_Z10
CR125, 250, 500, F250R & X, F450R & X	89-current	16.5x350 17x3.50	36	JI_411 EI_418		
<b>For Super Motard</b>						
<b>HONDA Rear:</b>						
XR50R / CRF50F	00-03 / 04-current	10x1.60	28	KC 412		
CR80R / 85R	86-02 / 03-07	14x1.60	32	BC 405		
CR80R / 85RB (BW)	96-02 / 03-07	16x1.85	32	DD 405		
CRF110F	13-19	12x1.60	36	AC 411		
CRF150F	03-current	16x1.60	36	DC 411		
CRF150R	07-current	14x1.60	32	BC 404		
CRF150RB (BW)	07-current	16x1.85	32	DD 404		
CRF230F	03-current	18x1.85	36	FD 416		
CRF250X / 450X	06-current	18x1.85 18x2.15	32	FD_417 FE 411	FE 611	FE_Z11
CR125, 250, 500	89-01	19x1.85 19x2.15	32	GD_405 GE 405	GD_605	GD_Z05
CR125, 250 / F250R, F450R	02-07 / 04-current	19x1.85 19x2.15	32	GD_411 GE 411	GD_611	GD_Z11
XR250R	97-04	18x2.15	32	FE 418	FE_618	FE_Z18
XR400R / 600R	96-04 / 93-00	18x2.15	32	FE_418	FE_618	FE_Z18
XR650R / 650L	00-07 / 93-09					
XR400R / 600R	96-04 / 93-00	18xMT2.5	32	FF_418		
XR650R / 650L	00-07 / 93-09	0				
CR125, 250, 500, F250R & X, F450R & X	89-current	17x4.25 17x4.50 17x5.00 17x5.50	32	EK_417 EL_419 EM_419 FN 419		
<b>For Super Motard</b>						
<b>KAWASAKI Front:</b>						
KX60 / KLX110	85-03 / 02-current	14x1.40	32	BB 431		
KX65	00-current	14x1.40	28	BB 352		
KX80 / 85 / KLX140	98-00 / 01-17 / 08-current	17x1.40	28	EB 406		
KX100 / KLX140L	98-current / 08-current	19x1.40	28	GB 405		
KX125 / 250 / 250F / 500	89-98 / 89-98, 05 / 04-05 / 89-04	21x1.60	36	IC 410	IC 610	IC_Z10
KX125 / KX250	99-05 / 99-04					
KX250 / 250F, 450F / KLX450R	06-07 / 06-current / 08-current	21x1.60	36	IC 410	IC 610	IC_Z10
KDX200 / 220R	93-06 / 97-05	21x1.60	36	IC 416	IC 616	IC_Z16
KDX250	91-94					
KLX250R / 300R	94-96 / 97-07					
KLX650R	93-96	21x1.60	36	IC 410	IC 610	IC_Z10
KLX400R & SR	03-04					
KX125, 250, 500, 250F 450F	89-current	16.5x350 17x3.50	36	JI_411 EI 418		
<b>For Super Motard</b>						
<b>KAWASAKI Rear:</b>						
KX60	85-03	12x1.60	32	AC 431		
KX65	00-current	12x1.60	28	AC 361		
KX80 / 85	98-00 / 01-current	14x1.60	28	BC 416		
KX100	98-current	16x1.85	28	DD 410		
KLX110	02-current	12x1.60	36	AC 411		
KX250 / KX500 / KDX250	89-02 / 89-04 / 91-94	18x2.15	36	FE 410		
KX125 / 250 / 250F / 450F / KLX450R	03-05 / 03-07 / 04-current / 06-17 / 08-current	18x1.85 18x2.15	36	FD 406 FE 410	FE 610	FE_Z10
KX125, 250 / 500 / 250&450F / KDX250	89-02 / 89-04 / 91-94	18xMT2.50	36	FF 410		
KX125	89-02	19x1.85	36	GD_406 GE 406	GD_606	GD_Z06
KX250 / KX500 / KDX250	89-02 / 89-04 / 91-94	19x2.15				

Make & Model	Year	Rim Size	Hole No.	Excel Rim Part No.	Excel A60 Part No.	Excel One Part No.
KX125 / 250 / 250F / 450F / KLX450R	03-05 / 03-07 / 04-current / 06-current / 08-current	19x1.85 19X2.15	36	GD_406 GE_410	GE_610	GE_Z10
KX125, 250 / 500 / 250&450F / KDX250	89-02 / 89-04 / 04-15 / 91-94	19xMT2.50	36	GF_410		
KDX200 / 220R	89-06 / 97-05	18x2.15	36	FE_406	FE_606	FE_Z06
KLX400R	03-04	18x2.15	36	FE_410	FE_610	FE_Z10
KLX400SR	03-04	18x2.15	36	FE_410	FE_610	FE_Z10
KX125, 250, 500, 250F 450F For Super Motard	89-current	17x4.25 17x4.50 17x5.00 17x5.50	36	EK_418 EL_411 EM_411 EN_411		
<b>SUZUKI Front:</b>						
RM60 / DRZ110	03 / 03-05	14x1.40	32	BB_431		
RM65	03-05	14x1.40	28	BB_352		
DR-Z70	08-current	10x1.60	28	KC_412		
RM85	04-current	17x1.40	32	EB_404		
RM80 / 85	86-01 / 02-03	17x1.40	32	EB_404		
RM85L (BW)	04-current	19x1.40	32	GB_404		
RM80 / 85 (BW)	86-01 / 02-03	19x1.40	32	GB_404		
RM100	03	19x1.40	28	GB_400		
RM125, 250	93-96 & 01-08					
RMX250	89-98	21x1.60	36	IC_410	IC_610	IC_Z10
DR350	97-99					
RM125, 250	97-00					
DR-Z400, E / DR-Z400S	00-07 / 00-08	21x1.60	36	IC_410	IC_610	IC_Z10
RM-Z250 / RM-Z450	04-current / 05-current	21x1.60	36	IC_410	IC_610	IC_Z10
RM125, 250, X250, Z250, Z450 For Super Motard	89-current	16.5x350 17x3.50	36	JI_411 EI_418		
<b>SUZUKI Rear:</b>						
RM60	03	12x1.60	32	AC_431		
RM65	03-05	12x1.60	28	AC_352		
DR-Z70	08-current	10x1.60	28	KC_412		
RM80 / 85	95-01 / 02-current	14x1.60	32	BC_404		
RM80, 85 / 85L (BW)	95-01 / 02-current	16x1.60 16x1.85	32	DC_406 DD_404		
RM100	03	16x1.85	28	DD_400		
RM125	92-08	18x1.85		FD_406		
RM250 / RMX250	90-08 / 89-98	18x2.15	36	FE_410	FE_610	FE_Z10
DR-Z400, E	00-07					
RM-Z250	04-current	18x1.85 18x2.15	36	FD_406 FE_410	FE_610	FE_Z10
DR-Z400S	00-08	18x2.15	36	FE_410	FE_610	FE_Z10
RM-Z250 / RM-Z450	07-current / 05-current	18x2.15	36	FE_422	FE_622	FE_Z22
RM125 / 250	92-08 / 90-08	19x1.85 19X2.15	36	GD_406 GE_410	GD_606 GE_610	GD_Z06 GE_Z10
RM-Z250	04-06	19x1.85 19x2.15	36	GD_406 GE_410	GD_606 GE_610	GD_Z06 GE_Z10
RM-Z250 / RM-Z450	07-current / 05-current	19x1.85 19x2.15 18xMT2.5 0 19xMT2.5	36	GD_422 GE_422 FF_409 GF_409	GD_622 GE_622	GD_Z22 GE_Z22
RM125, 250, X250, Z250, Z450 For Super Motard	89-current	17x4.25 17x4.50 17x5.00 17x5.50	36	EK_418 EL_411 EM_411 EN_411		
<b>YAMAHA Front:</b>						
YZ80 / 85	93-01 / 02-current	17x1.40	32	EB_404		
YZ80	86-92	17x1.40	36	EB_408		
YZ80 / 85 (BW)	93-01 / 02-current	19x1.40	32	GB_404		
YZ125, 250	92-17					
YZ250F / 426F / 450F	01-current / 00-02 / 03-current	20x1.85		HD_410		
YZ400F	98-99	21x1.60	36	IC_410	IC_610	IC_Z10
WR250 / 250F	92-97 / 01-current	21x1.85		ID_411		
WR400F / 426F / 450F	98-00 / 01-02 / 03-current					
YZ125, 250	92-current					
YZ250F / 426F / 450F	01-current / 00-02 / 03-current	16.5x3.50		JI_411		
YZ400F	98-99	17x3.50	36	EI_418		
WR250 / 250F	92-97 / 01-current					
WR400F / 426F / 450F For Super Motard	98-00 / 01-02 / 03-current					

Make & Model	Year	Rim Size	Hole No.	Excel Rim Part No.	Excel A60 Part No.	Excel One Part No.
<b>YAMAHA Rear:</b>						
YZ80 / 85	94-01 / 02-current	14x1.60	32	BC 404		
YZ80 / 85 (BW)	94-01 / 02-current	16x1.85	32	DD 404		
YZ125, 250	99-current	18x1.85	36	FD_406		
YZ250F / 400F / 426F / 450F	01-16 / 99 / 00-02 / 03-current	18x2.15		FE_422	FE_622	FE_Z22
YZ125, 250	89-98	18x2.15	36	FE_422	FE_622	FE_Z22
TTR250 / WR250 / 400F	99-06 / 91-97 / 98					
WR250F	01-current	18x1.85	36	FD_406	FE_622	FE_Z22
WR400F / 426F / 450F	99-00 / 01-02 / 03-current	18x2.15		FE_422		
YZ250 / 250F	99-current / 01-current	18xMT2.50	36	FF_422		
YZ400F / 426F / 450F	99 / 00-02 / 03-current			FF_422		
WR250F	01-current	18xMT2.50	36	FF_422		
WR400F / 426F / 450F	99-00 / 01-02 / 03-current			FF_422		
YZ125, 250	89-98	18xMT2.50	36	FF_422		
TTR250 / WR250 / 400F	99-06 / 91-97 / 98					
YZ125, 250	99-current	19x1.85	36	GD_406	GD_606	GD_Z06
YZ250F / 400F / 426F / 450F	01-current / 99 / 00-02 / 03-current	19x2.15		GE_422	GE_622	GD_Z22
		19xMT2.5		GF_422		
YZ125, 250, 400	89-98 / 98	19x1.85	36	GD 406	GD 606	GD Z06
YZ125, 250	92-current	17x4.25	36	EK_418		
YZ250F / 426F / 450F	01-current / 00-02 / 03-current			EL_411		
YZ400F	98-99			EL_411		
WR250 / 250F	92-97 / 01-current			EM_411		
WR400F / 426F / 450F	98-00 / 01-02 / 03-current			EN_411		
<b>For Super Motard</b>						
<b>KTM Front:</b>						
KTM 65	98-current	14x1.40	32	BB 406		
KTM 85	03-current	17x1.40	32	EB 421		
KTM 85 (BW) / 105	03-current / 06-current	19x1.60	32	GC 421		
KTM 125-525 SX / 125-530 XC & EXC models	03-current / 03-current	21x1.60	36	IC_408	IC_608	IC_Z08
		20x1.85		HD 421		
KTM 125-525 SX / 125-530 XC & EXC models	03-current / 03-current	16.5x350	36	JI_411		
		17x3.50		EI_418		
<b>For Supermotard</b>						
950, 990 Adventure	06-12	21x2.15	36	IE_431		
<b>KTM Rear</b>						
KTM 65	98-current	12x1.60	32	AC 406		
KTM 85	03-current	14x1.60	32	BC 421		
KTM 85 (BW) / 105	03-current	16x1.85	32	DD 421		
KTM 125-525 SX / 125-530 XC & EXC models	03-current / 03-current	18x1.85	36	FD_406	FE_622	FE_Z22
		18x2.15		FE_422		
KTM 125-525 SX / 125-530 XC & EXC models	03-current / 03-current	19x1.85	36	GD_422	GD_622	GD_Z22
		19x2.15		GE_422		
KTM 125-525 SX / 125-530 XC & EXC models	03-current / 03-current	17x4.25	36	EK_418		
		17x4.50		EL_411		
		17x5.00		EM_411		
		17x5.50		EN_411		
<b>For Supermotard</b>						
950, 990 Adventure	06-12	18x4.25	36	FK_482		
<b>GAS GAS Front:</b>						
125EC / 200EC, 250EC, 300EC, 450EC, 250F EC, 300F EC, 450F EC / FSR450	03-19 / 00-19 / 03-08	21x1.60	36	IC_433	IC_633	IC_Z33
125EC / 200EC, 250EC, 300EC, 450EC, 250F EC, 300F EC, 450F EC / FSR450	20-current	21x1.60	36	IC_408	IC_608	IC_Z08
125EC / 200EC, 250EC, 300EC, 450EC, 250F EC, 300F EC, 450F EC / FSR450	03-19 / 00-19 / 03-08	16.5x350	36	JI_421		
		17x3.50		EI_421		
<b>For Supermotard</b>						
125EC / 200EC, 250EC, 300EC, 450EC, 250F EC, 300F EC, 450F EC / FSR450	20-current	16.5x350	36	JI_411		
		17x3.50		EI_418		
<b>For Supermotard</b>						
<b>GAS GAS Rear:</b>						
125EC / 200EC, 250EC, 300EC, 450EC, 250F EC, 300F EC, 450F EC / FSR450	03-19 / 00-19 / 03-08	18x2.15	36	FE_433	FE_633	FE_Z33
		19x2.15		GE_433		
125EC / 200EC, 250EC, 300EC, 450EC, 250F EC, 300F EC, 450F EC / FSR450	20-current	18x2.15	36	FE_422	FE_622	FE_Z22
		19x2.15		GE_422		
125EC / 200EC, 250EC, 300EC, 450EC, 250F EC, 300F EC, 450F EC / FSR450	03-19 / 00-19 / 03-08	17x4.25	36	EK_421		
		17x4.50		EL_421		
		17x5.00		EM_421		
		17x5.50		EN_421		
<b>For Supermotard</b>						

Make & Model	Year	Rim Size	Hole No.	Excel Rim Part No.	Excel A60 Part No.	Excel One Part No.
125EC / 200EC, 250EC, 300EC , 450EC, 250F EC, 300F EC, 450F EC / FSR450 <b>For Supermotard</b>	20-current	17x4.25 17x4.50 17x5.00 17x5.50	36	EK_418 EL_411 EM_411 EN_411		
<b>Husaberg Front:</b>						
125, 250, 300, 350, 501 TE & FE models	05-13 12-13	21x1.60	36	IC_421	IC_621	IC_Z21
125, 250, 300, 350, 501 TE & FE models <b>For Supermotard</b>	05-13 12-3	16.5x350 17x3.50	36	JI_409 EI_418		
<b>Husaberg Rear:</b>						
125, 250, 300, 350, 501 TE & FE models	05-13 12-13	18x1.85 18x2.15 18x2.50 19x1.85 19x2.15	36	FD_422 FE_422 FF_422 GD_422 GE_422	FE_622 GD_622 GE_622	FE_Z22 GD_Z22 GE_Z22
125, 250, 300, 350, 501 TE & FE models <b>For Supermotard</b>	05-13 12-13	17x4.25 17x4.50 17x5.00 17x5.50	36	EK_418 EL_411 EM_411 EN_411		
<b>Italian Husqvarna Front:</b>						
WR125/250, TE250/450/510, CR125, TC250/450/510, WRE125 / TE610/630	00-10 / 00-12	21x1.60 20x1.85	36	IC_433 HD_431	IC_633	IC_Z33
WR125/250, TE250/450/510, CR125, TC250/450/510, WRE125	11-13	21x1.60 20x1.85	36	IC_408 HD_421	IC_608	IC_Z08
WR125/250, TE250/450/510, CR125, TC250/450/510, WRE125 / TE610/630 <b>For Supermotard</b>	00-10 / 00-12	16.5x350 17x3.50	36	JI_421 EI_421		
WR125/250, TE250/450/510, CR125, TC250/450/510, WRE125 <b>For Supermotard</b>	11-13	16.5x350 17x3.50	36	JI_411 EI_418		
<b>Italian Husqvarna Rear:</b>						
WR125/250, TE250/450/510, CR125, TC250/450/510, WRE125 / TE610/630	00-10 / 00-12	18x2.15 18x2.50 19x1.85 19x2.15	36	FE_433 FF_433 GD_433 GE_433	FE_633 GD_633 GE_633	FE_Z33 GD_Z33 GE_Z33
WR125/250, TE250/450/510, CR125, TC250/450/510, WRE125 / TE610/630	11-12	18x2.15 18x2.50 19x1.85 19x2.15	36	FE_422 FF_422 GD_422 GE_422	FE_622 GD_622 GE_622	FE_Z22 GD_Z22 GE_Z22
WR125/250, TE250/450/510, CR125, TC250/450/510, WRE125 / TE610/630 <b>For Supermotard</b>	00-10 / 00-12	17x4.25 17x4.50 17x5.00 17x5.50	36	EK_421 EL_421 EM_421 EN_421		
WR125/250, TE250/450/510, CR125, TC250/450/510, WRE125 <b>For Supermotard</b>	11-13	17x4.25 17x4.50 17x5.00 17x5.50	36	EK_418 EL_411 EM_411 EN_411		
<b>Husqvarna (current) Front:</b>						
TC125/250, FC450, TE300, FE350	16-current	21x1.60	36	IC_408	IC_608	IC_Z08
TC125/250, FC450, TE300, FE350 <b>For Supermotard</b>	16-current	16.5x350 17x3.50	36	JI_411 EI_418		
<b>Husqvarna (current) Rear:</b>						
TE300, FE350	16-current	18x1.85 18x2.15	36	FD_406 FE_422	FE_622	FE_Z22
TC125/250, FC450	16-current	19x1.85 19x2.15	36	GD_422 GE_422	GD_622 GE_622	GD_Z22 GE_Z22
TC125/250, FC450, TE300, FE350 <b>For Supermotard</b>	16-current	17x4.25 17x4.50 17x5.00 17x5.50	36	EK_418 EL_411 EM_411 EN_411		

Make & Model	Year	Rim Size	Hole No.	Excel Rim Part No.	Excel A60 Part No.	Excel One Part No.
<b>TM Front:</b>						
125, 144, 250, 300, 450, 530 cc MX & ED models	00-11	21x1.60	36	IC_423	IC_623	IC_Z23
125, 144, 250, 300, 450, 530 cc MX & ED models	12-current	21x1.60	36	IC_441	IC_641	IC_Z41
MX Junior	12-current	19x1.40	28	GB_441		
<b>TM Rear:</b>						
125, 144, 250, 300, 450, 530 cc MX & ED models	00-11	18x1.85 18x2.15 18xMT2.5 0 19x1.85 19x2.15 19xMT2.5	36	FD_423 FE_423 FF_423 GD_423 GE_423 GF_423	FE_633 GD_633 GE_633	FE_Z33 GD_Z33 GE_Z33
125, 144, 250, 300, 450, 530 cc MX & ED models	12-current	18x1.85 18x2.15 18xMT2.5 0 19x1.85 19x2.15 19xMT2.5	36	FD_441 FE_441 FF_441 GD_441 GE_441 GF_441	FE_641 GD_641 GE_641	FE_Z41 GD_Z41 GE_Z41
MX Junior	12-current	16x1.85	28	DD_441		
<b>Sherco Front:</b>						
50 / 125 / 250 / 300 / 450 cc models	07-16	21x1.60	36	IC_410	IC_610	IC_Z10
50 / 125 / 250 / 300 / 450 cc models	17-current	21x1.60	36	IC_408	IC_608	IC_Z08
250 / 300 / 450 cc models For Supermotard	07-16	16.5x350 17x3.50	36	JI_409 EI_409		
250 / 300 / 450 cc models For Supermotard	17-current	16.5x350 17x3.50	36	JI_411 EI_418		
<b>Sherco Rear:</b>						
50, 125, 250, 300, 450 cc models	07-current	18x1.85 18x2.15 18x2.50 19x1.85 19x2.15	36	FD_422 FE_422 FF_422 GD_422 GE_422	FE_622 GD_622 GE_622	FE_Z22 GD_Z22 GE_Z22
250, 300, 450 cc models For Supermotard	07-current	17x4.25 17x4.50 17x5.00 17x5.50	36	EK_418 EL_411 EM_411 EN_411		
<b>Beta Front:</b>						
50, 125, 250, 300, 350, 450, 498 cc models	08-current	21x1.60	36	IC_408	IC_608	IC_Z08
250, 300, 350, 450, 498 cc models For Supermotard	08-current	16.5x350 17x3.50	36	JI_409 EI_418		
<b>Beta Rear:</b>						
50, 125, 250, 300, 350, 450, 498 cc models	08-current	18x2.15 18x2.50 19x2.15 19x2.50	36	FE_422 FF_422 GE_422 GF_422	FE_622 GE_622	FE_Z22 GE_Z22
250, 300, 350, 450, 498 cc models For Supermotard	08-current	17x4.25 17x4.50 17x5.00 17x5.50	36	EK_418 EL_411 EM_411 EN_411		

Need dedicated spokes for 18&19xMT2.50 size.

Use slash (/) between different models when years are different. (CR80 / 85 00-03 / 04-07)

Use an and (&) between different types of same basic model (CRF450R & X)

Use a comma (,) between different sizes of the same model. (CR125, 250, 500)



\* 3 digits code is containing spec. information such as rim profile, hole number, angles, diameters and etc.

# EXCEL Part Number

**I**



**21**

**Rim Diameter**

Dia.	Code
12	A
14	B
15	C
16	D
16.5	J
17	E
18	F
19	G
20	H
21	I
23	L

**C**



**1.60**

**Rim Width**

Width	Code
1.40	B
1.60	C
1.85	D
2.15	E
2.50	F
3.00	H
3.50	I
4.25	K
4.50	L
5.00	M
5.50	N

**K**



**Black**

**Rim Color**

Color	Code
SILVER	S
BLACK	K
GOLD	G
BLUE	B
YELLOW	A
RED	R
ORANGE	O

**4 1 0**



**Rim Spec Number**

**Rim Specification**

Indicating rim profile, hole number, angles, diameters and etc. See our application data for reference.



*EXCEL RIM Co., Ltd*  
 3-20-1, Higashi-yagura, Kusatsu City, Shiga  
 525-0054, Japan  
 Tel: +81-77-563-4714 Fax: +81-77-563-4720